


# Ozubený řemen Poly Chain® GT2 8MGT

Rozteč 8 mm



Materiál

Polyuretan



## Šířka řemene 12 mm

Obj. číslo	Značení	Počet zubů z	Výpočtová délka mm	Obj. číslo	Značení	Počet zubů z	Výpočtová délka mm
T 62957	PC 8M 248 12*	31	248	T 74209	PC2 8MGT 1200 12	150	1200
T 62961	PC 8M 288 12*	36	288	T 74213	PC2 8MGT 1280 12	160	1280
T 62962	PC 8M 352 12*	44	352	T 74217	PC2 8MGT 1440 12	180	1440
T 62963	PC 8M 416 12*	52	416	T 74221	PC2 8MGT 1600 12	200	1600
T 62964	PC 8M 456 12*	57	456	T 74225	PC2 8MGT 1792 12	224	1792
T 62965	PC 8M 480 12*	60	480	T 74229	PC2 8MGT 2000 12	250	2000
T 62966	PC 8M 544 12*	68	544	T 74233	PC2 8MGT 2240 12	280	2240
T 62967	PC 8M 608 12*	76	608	T 74237	PC2 8MGT 2400 12	300	2400
T 74185	PC2 8MGT 640 12	80	640	T 74241	PC2 8MGT 2520 12	315	2520
T 74189	PC2 8MGT 720 12	90	720	T 74245	PC2 8MGT 2840 12	355	2840
T 74193	PC2 8MGT 800 12	100	800	T 74249	PC2 8MGT 3200 12	400	3200
T 74197	PC2 8MGT 896 12	112	896	T 74253	PC2 8MGT 3600 12	450	3600
T 74201	PC2 8MGT 1000 12	125	1000	T 74257	PC2 8MGT 4000 12	500	4000
T 74205	PC2 8MGT 1120 12	140	1120	T 74261	PC2 8MGT 4480 12	560	4480

## Šířka řemene 21 mm

T 62998	PC 8M 248 21*	31	248	T 74210	PC2 8MGT 1200 21	150	1200
T 62999	PC 8M 288 21*	36	288	T 74214	PC2 8MGT 1280 21	160	1280
T 63000	PC 8M 352 21*	44	352	T 74218	PC2 8MGT 1440 21	180	1440
T 63001	PC 8M 416 21*	52	416	T 74222	PC2 8MGT 1600 21	200	1600
T 63002	PC 8M 456 21*	57	456	T 74226	PC2 8MGT 1792 21	224	1792
T 63003	PC 8M 480 21*	60	480	T 74230	PC2 8MGT 2000 21	250	2000
T 63004	PC 8M 544 21*	68	544	T 74234	PC2 8MGT 2240 21	280	2240
T 63005	PC 8M 608 21*	76	608	T 74238	PC2 8MGT 2400 21	300	2400
T 74186	PC2 8MGT 640 21	80	640	T 74242	PC2 8MGT 2520 21	315	2520
T 74190	PC2 8MGT 720 21	90	720	T 74246	PC2 8MGT 2840 21	355	2840
T 74194	PC2 8MGT 800 21	100	800	T 74250	PC2 8MGT 3200 21	400	3200
T 74198	PC2 8MGT 896 21	112	896	T 74254	PC2 8MGT 3600 21	450	3600
T 74202	PC2 8MGT 1000 21	125	1000	T 74258	PC2 8MGT 4000 21	500	4000
T 74206	PC2 8MGT 1120 21	140	1120	T 74262	PC2 8MGT 4480 21	560	4480

Rozměry uvedeny v mm.

### Poznámka:

\*Mini-Poly Chain® GT

Ozubené řemenice viz. strana H 41.


# Ozubený řemen Poly Chain® GT2 8MGT

Rozteč 8 mm



Materiál

Polyuretan



## Šířka řemene 36 mm

Obj. číslo	Značení	Počet zubů z	Výpočtová délka mm	Obj. číslo	Značení	Počet zubů z	Výpočtová délka mm
T 63027	PC 8M 248 36*	31	248	T 74211	PC2 8MGT 1200 36	150	1200
T 63028	PC 8M 288 36*	36	288	T 74215	PC2 8MGT 1280 36	160	1280
T 63029	PC 8M 352 36*	44	352	T 74219	PC2 8MGT 1440 36	180	1440
T 63030	PC 8M 416 36*	52	416	T 74223	PC2 8MGT 1600 36	200	1600
T 63031	PC 8M 456 36*	57	456	T 74227	PC2 8MGT 1792 36	224	1792
T 63032	PC 8M 480 36*	60	480	T 74231	PC2 8MGT 2000 36	250	2000
T 63033	PC 8M 544 36*	68	544	T 74235	PC2 8MGT 2240 36	280	2240
T 63034	PC 8M 608 36*	76	608	T 74239	PC2 8MGT 2400 36	300	2400
T 74187	PC2 8MGT 640 36	80	640	T 74243	PC2 8MGT 2520 36	315	2520
T 74191	PC2 8MGT 720 36	90	720	T 74247	PC2 8MGT 2840 36	355	2840
T 74195	PC2 8MGT 800 36	100	800	T 74251	PC2 8MGT 3200 36	400	3200
T 74199	PC2 8MGT 896 36	112	896	T 74255	PC2 8MGT 3600 36	450	3600
T 74203	PC2 8MGT 1000 36	125	1000	T 74259	PC2 8MGT 4000 36	500	4000
T 74207	PC2 8MGT 1120 36	140	1120	T 74263	PC2 8MGT 4480 36	560	4480

## Šířka řemene 62 mm

T 63055	PC 8M 248 62*	31	248	T 74212	PC2 8MGT 1200 62	150	1200
T 63056	PC 8M 288 62*	36	288	T 74216	PC2 8MGT 1280 62	160	1280
T 63057	PC 8M 352 62*	44	352	T 74220	PC2 8MGT 1440 62	180	1440
T 63058	PC 8M 416 62*	52	416	T 74224	PC2 8MGT 1600 62	200	1600
T 63062	PC 8M 456 62*	57	456	T 74228	PC2 8MGT 1792 62	224	1792
T 63063	PC 8M 480 62*	60	480	T 74232	PC2 8MGT 2000 62	250	2000
T 63064	PC 8M 544 62*	68	544	T 74236	PC2 8MGT 2240 62	280	2240
T 63065	PC 8M 608 62*	76	608	T 74240	PC2 8MGT 2400 62	300	2400
T 74188	PC2 8MGT 640 62	80	640	T 74244	PC2 8MGT 2520 62	315	2520
T 74192	PC2 8MGT 720 62	90	720	T 74248	PC2 8MGT 2840 62	355	2840
T 74196	PC2 8MGT 800 62	100	800	T 74252	PC2 8MGT 3200 62	400	3200
T 74200	PC2 8MGT 896 62	112	896	T 74256	PC2 8MGT 3600 62	450	3600
T 74204	PC2 8MGT 1000 62	125	1000	T 74260	PC2 8MGT 4000 62	500	4000
T 74208	PC2 8MGT 1120 62	140	1120	T 74264	PC2 8MGT 4480 62	560	4480

Rozměry uvedeny v mm.

### Poznámka:

\*Mini-Poly Chain® GT

Ozubené řemenice viz. strana H 42.


# Ozubený řemen Poly Chain® GT2 14MGT

Rozteč 14 mm



Materiál

Polyuretan



## Šířka řemene 20 mm

Obj. číslo	Značení	Počet zubů z	Výpočtová délka mm	Obj. číslo	Značení	Počet zubů z	Výpočtová délka mm
T 74265	PC2 14MGT 994 20	71	994	T 74318	PC2 14MGT 2380 20	170	2380
T 74270	PC2 14MGT 1120 20	80	1120	T 74323	PC2 14MGT 2520 20	180	2520
T 74275	PC2 14MGT 1190 20	85	1190	T 74328	PC2 14MGT 2660 20	190	2660
T 74280	PC2 14MGT 1260 20	90	1260	T 74333	PC2 14MGT 2800 20	200	2800
T 74285	PC2 14MGT 1400 20	100	1400	T 74338	PC2 14MGT 3136 20	224	3136
T 74290	PC2 14MGT 1568 20	112	1568	T 74343	PC2 14MGT 3304 20	236	3304
T 74295	PC2 14MGT 1750 20	125	1750	T 74348	PC2 14MGT 3500 20	250	3500
T 74300	PC2 14MGT 1960 20	140	1960	T 74353	PC2 14MGT 3920 20	280	3920
T 74305	PC2 14MGT 2100 20	150	2100	T 74358	PC2 14MGT 4410 20	315	4410
T 74310	PC2 14MGT 2240 20	160	2240				

## Šířka řemene 37 mm

T 74266	PC2 14MGT 994 37	71	994	T 74319	PC2 14MGT 2380 37	170	2380
T 74271	PC2 14MGT 1120 37	80	1120	T 74324	PC2 14MGT 2520 37	180	2520
T 74276	PC2 14MGT 1190 37	85	1190	T 74329	PC2 14MGT 2660 37	190	2660
T 74281	PC2 14MGT 1260 37	90	1260	T 74334	PC2 14MGT 2800 37	200	2800
T 74286	PC2 14MGT 1400 37	100	1400	T 74339	PC2 14MGT 3136 37	224	3136
T 74291	PC2 14MGT 1568 37	112	1568	T 74344	PC2 14MGT 3304 37	236	3304
T 74296	PC2 14MGT 1750 37	125	1750	T 74349	PC2 14MGT 3500 37	250	3500
T 74301	PC2 14MGT 1960 37	140	1960	T 74354	PC2 14MGT 3920 37	280	3920
T 74306	PC2 14MGT 2100 37	150	2100	T 74359	PC2 14MGT 4410 37	315	4410
T 74311	PC2 14MGT 2240 37	160	2240				

## Šířka řemene 68 mm

T 74267	PC2 14MGT 994 68	71	994	T 74320	PC2 14MGT 2380 68	170	2380
T 74272	PC2 14MGT 1120 68	80	1120	T 74325	PC2 14MGT 2520 68	180	2520
T 74277	PC2 14MGT 1190 68	85	1190	T 74330	PC2 14MGT 2660 68	190	2660
T 74282	PC2 14MGT 1260 68	90	1260	T 74335	PC2 14MGT 2800 68	200	2800
T 74287	PC2 14MGT 1400 68	100	1400	T 74340	PC2 14MGT 3136 68	224	3136
T 74292	PC2 14MGT 1568 68	112	1568	T 74345	PC2 14MGT 3304 68	236	3304
T 74297	PC2 14MGT 1750 68	125	1750	T 74350	PC2 14MGT 3500 68	250	3500
T 74302	PC2 14MGT 1960 68	140	1960	T 74355	PC2 14MGT 3920 68	280	3920
T 74307	PC2 14MGT 2100 68	150	2100	T 74360	PC2 14MGT 4410 68	315	4410
T 74312	PC2 14MGT 2240 68	160	2240				

Rozměry uvedeny v mm.

### Poznámka:

Ozubené řemenice viz. strana H 43 - H 44.


# Ozubený řemen Poly Chain® GT2 14MGT

Rozteč 14 mm



Materiál

Polyuretan



## Šířka řemene 90 mm

Obj. číslo	Značení	Počet zubů z	Výpočtová délka mm	Obj. číslo	Značení	Počet zubů z	Výpočtová délka mm
T 74268	PC2 14MGT 994 90	71	994	T 74321	PC2 14MGT 2380 90	170	2380
T 74273	PC2 14MGT 1120 90	80	1120	T 74326	PC2 14MGT 2520 90	180	2520
T 74278	PC2 14MGT 1190 90	85	1190	T 74331	PC2 14MGT 2660 90	190	2660
T 74283	PC2 14MGT 1260 90	90	1260	T 74336	PC2 14MGT 2800 90	200	2800
T 74288	PC2 14MGT 1400 90	100	1400	T 74341	PC2 14MGT 3136 90	224	3136
T 74293	PC2 14MGT 1568 90	112	1568	T 74346	PC2 14MGT 3304 90	236	3304
T 74298	PC2 14MGT 1750 90	125	1750	T 74351	PC2 14MGT 3500 90	250	3500
T 74303	PC2 14MGT 1960 90	140	1960	T 74356	PC2 14MGT 3920 90	280	3920
T 74308	PC2 14MGT 2100 90	150	2100	T 74361	PC2 14MGT 4410 90	315	4410
T 74314	PC2 14MGT 2240 90	160	2240				

## Šířka řemene 125 mm

T 74269	PC2 14MGT 994 125	71	994	T 74322	PC2 14MGT 2380 125	170	2380
T 74274	PC2 14MGT 1120 125	80	1120	T 74327	PC2 14MGT 2520 125	180	2520
T 74279	PC2 14MGT 1190 125	85	1190	T 74332	PC2 14MGT 2660 125	190	2660
T 74284	PC2 14MGT 1260 125	90	1260	T 74337	PC2 14MGT 2800 125	200	2800
T 74289	PC2 14MGT 1400 125	100	1400	T 74342	PC2 14MGT 3136 125	224	3136
T 74294	PC2 14MGT 1568 125	112	1568	T 74347	PC2 14MGT 3304 125	236	3304
T 74299	PC2 14MGT 1750 125	125	1750	T 74352	PC2 14MGT 3500 125	250	3500
T 74304	PC2 14MGT 1960 125	140	1960	T 74357	PC2 14MGT 3920 125	280	3920
T 74309	PC2 14MGT 2100 125	150	2100	T 74362	PC2 14MGT 4410 125	315	4410
T 74317	PC2 14MGT 2240 125	160	2240				

Rozměry uvedeny v mm.

### Poznámka:

Ozubené řemenice viz. strana H 44 - H 45.