

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –

iwis
antriebssysteme
wir bewegen die welt

Section 1

Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	iwis VP6 Kombi Superplus Spray
Article-No.	15701

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	Lubricant spray
Recommended restrictions on use	Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company	iwis antriebssysteme GmbH & Co. KG Albert-Roßhaupter-Straße 53 / 81369 München Tel. +49 89 76909-1500 Fax +49 89 76909-1198
E-mail address of person responsible for the SDS	sales@iwis.com

1.4 Emergency telephone number

Emergency telephone number	+49 551 19240 (24 hrs)
----------------------------	------------------------

Section 2

Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)	
Aerosols, Category 1	H222: Extremely flammable aerosol. H229: Pressurised container: May burst if heated.
Chronic aquatic toxicity, Category 3	H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)	
Hazard pictograms	



Signal word	
-------------	--

Danger

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –

iwis
antriebssysteme
wir bewegen die welt

Hazard statements

H222: Extremely flammable aerosol.
H229: Pressurised container: May burst if heated.
H412: Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211: Do not spray on an open flame or other ignition source.
P251: Do not pierce or burn, even after use.
P273: Avoid release to the environment.

Storage

P410 + P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Section 3

Composition/information on ingredients

3.2 Mixtures

Chemical nature

Propellant
ester oil
Synthetic hydrocarbon oil solvent (hydrocarbons)

Hazardous components

Chemical Name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration [% w/w]
Alkanes, C7-10-iso-	90622-56-3 292-458-5	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411	Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411	≥ 2,5 - < 10
Substances with a workplace exposure limit				
isobutane	75-28-5 200-857-2 601-004-00-0 01-2119485395-27-XXXX	Flam. Gas1; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	≥ 30 - < 50

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –

iwis
antriebssysteme
wir bewegen die welt

Chemical Name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration [% w/w]
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21-XXXX	Flam. Gas1; H220 Press. GasCompr. Gas; H280	Note U (table 3.1)	$\geq 1 - < 10$
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32-XXXX	Flam. Gas1; H220 Press. GasCompr. Gas; H280	Note U (table 3.1), Note C	$\geq 1 - < 10$

For explanation of abbreviations see section 16.

Section 4

First aid measures

4.1 Description of first aid measures

If inhaled	Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear. If breathing is irregular or stopped, administer artificial respiration.
In case of skin contact	Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. If eye irritation persists, consult a specialist.
If swallowed	Move the victim to fresh air. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –

iwis
antriebssysteme
wir bewegen die welt

4.2 Most important symptoms and effects, both acute and delayed

Symptoms	Inhalation may provoke the following symptoms: Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness
----------	---

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	Treat symptomatically.
-----------	------------------------

Section 5

Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	ABC powder
Unsuitable extinguishing media	High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting	Fire may cause evolution of: Carbon oxides Fire Hazard Do not let product enter drains. Contains gas under pressure; may explode if heated. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
---------------------------------------	--

5.3 Advice for firefighters

Special protective equipment for firefighters	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health.
Further information	Standard procedure for chemical fires. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Cool containers/tanks with water spray.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –



Section 6

Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Evacuate personnel to safe areas.
Ensure adequate ventilation.
Remove all sources of ignition.
Do not breathe vapours or spray mist.
Refer to protective measures listed in sections 7 and 8.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions

Do not allow contact with soil, surface or ground water.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.
Non-sparking tools should be used.

6.4 Reference to other sections

For personal protection see section 8.

Section 7

Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Do not use in areas without adequate ventilation.
Do not breathe vapours or spray mist.
In case of insufficient ventilation, wear suitable respiratory equipment.
Avoid contact with skin and eyes.
For personal protection see section 8.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –

iwis
antriebssysteme
wir bewegen die welt

Keep away from fire, sparks and heated surfaces. Smoking, eating and drinking should be prohibited in the application area.

Wash hands and face before breaks and immediately after handling the product.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Do not ingest.

Do not use sparking tools.

These safety instructions also apply to empty packaging which may still contain product residues.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.

Hygiene measures

Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in accordance with the particular national regulations.

Storage class (TRGS 510)

2B, Aerosol cans and lighters

7.3 Specific end use(s)

Specific use(s)

Specific instructions for handling, not required.

Section 8

Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
isobutane	75-28-5	AGW	1.000 ppm 2.400 mg/m ³	DE TRGS 900 (2006-01-01)
Peak-limit: excursion factor (category)	4;(II)			
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –

iwis
antriebssysteme
wir bewegen die welt

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Alkanes, C7-10-iso-	90622-56-3	AGW	1.500 mg/m ³	DE TRGS 900 (2009-02-16)
Peak-limit: excursion factor (category)	2;(II)			
Further information:	Group exposure limit for hydrocarbon solvent mixtures, Commission for dangerous substances, See also No. 2.9 of the TRGS 900			
		AGW	600 mg/m ³	DE TRGS 900 (2009-02-16)
Peak-limit: excursion factor (category)	2;(II)			
Further information:	Group exposure limit for hydrocarbon solvent mixtures, Commission for dangerous substances, See also No. 2.9 of the TRGS 900			
propane	74-98-6	AGW	1.000 ppm 1.800 mg/m ³	DE TRGS 900 (2006-01-01)
Peak-limit: excursion factor (category)	4;(II)			
Further information:	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
butane	106-97-8	AGW	1.000 ppm 2.400 mg/m ³	DE TRGS 900 (2006-01-01)
Peak-limit: excursion factor (category)	4;(II)			
Further information:	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Alkanes, C7-10-iso-	Workers	Inhalation	Long-term systemic effects	2035 mg/m ³
	Workers	Skin contact	Long-term systemic effects	773 mg/kg

8.2 Exposure controls

Engineering measures

Use only in an area equipped with explosion proof exhaust ventilation.

Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –



Personal protective equipment

Eye protection

Safety glasses with side-shields conforming to EN166

Hand protection

Material

Nitrile rubber

Protective index

Class 1

Remarks

For prolonged or repeated contact use protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Respiratory protection

Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Short term only

Filter type

Filter type A-P

Protective measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific workplace.

Section 9

Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

aerosol

Colour

green

Odour

characteristic

Odour Threshold

No data available

Values refer to the propellant

pH

No data available

Melting point/range

No data available

Boiling point/boiling range

< -10 °C (1.013 hPa)

Flash point

-60 °C; Method: closed cup

Evaporation rate

No data available

Flammability (solid, gas)

Extremely flammable aerosol.

Upper explosion limit

11,2 %(V)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –

iwis
antriebssysteme
wir bewegen die welt

Lower explosion limit	1,5 %(V)
Vapour pressure	2.700 hPa (20 °C)
Relative vapour density	No data available
Density	0,60 g/cm ³ (20 °C)
Bulk density	No data available
Solubility(ies)	
Water solubility	< 0,1 g/l insoluble
Solubility in other solvents	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	> 350 °C
Decomposition temperature	No data available
Viscosity	
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Explosive properties	Not explosive
Oxidizing properties	No data available

9.2 Other information

Sublimation point	No data available
Self-ignition	No data available

Section 10

Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	No dangerous reaction known under conditions of normal use.
---------------------	---

10.4 Conditions to avoid

Conditions to avoid	Heat, flames and sparks.
---------------------	--------------------------

10.5 Incompatible materials

Materials to avoid	Oxidizing agents
--------------------	------------------

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –

iwis
antriebssysteme
wir bewegen die welt

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Section 11

Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product

Acute oral toxicity

Remarks: This information is not available.

Acute inhalation toxicity

Symptoms: Inhalation may provoke the following symptoms:

Respiratory disorder

Acute dermal toxicity

Remarks: This information is not available.

Components

Alkanes, C7-10-iso-:

Acute oral toxicity

LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity

LC50 (Rat): > 21 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Method: OECD Test Guideline 403

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity

LD50 (Rabbit): > 2.200 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal toxicity

isobutane

Acute inhalation toxicity

LC50 (Rat): 658 mg/l

Exposure time: 4 h

Test atmosphere: gas

butane

Acute inhalation toxicity

LC50 (Rat): 658 mg/l

Exposure time: 4 h

Test atmosphere: gas

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –



Skin corrosion/irritation

Product

Remarks

This information is not available.

Components

Alkanes, C7-10-iso-:

Species

Rabbit

Assessment

Irritating to skin.

Method

OECD Test Guideline 404

Result

Irritating to skin.

GLP

yes

Serious eye damage/eye irritation

Product

Remarks

Contact with eyes may cause irritation.

Components

Alkanes, C7-10-iso-:

Species

Rabbit

Assessment

No eye irritation

Method

OECD Test Guideline 405

Result

No eye irritation

Respiratory or skin sensitisation

Product

Remarks

This information is not available.

Components

Alkanes, C7-10-iso-:

Test Type

Maximisation Test

Species

Guinea pig

Assessment

Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

Result

Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Product

Genotoxicity in vitro

Remarks: No data available

Genotoxicity in vivo

Remarks: No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –



Components

Alkanes, C7-10-iso-:

Germ cell mutagenicity- Assessment

Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Product

Remarks

No data available

Components

Alkanes, C7-10-iso-:

Carcinogenicity - Assessment

Not classifiable as a human carcinogen.

Reproductive toxicity

Product

Effects on fertility

Remarks: No data available

Effects on foetal development

Remarks: No data available

Components

Alkanes, C7-10-iso-:

Reproductive toxicity - Assessment

No toxicity to reproduction

STOT – single exposure

Components

Alkanes, C7-10-iso-:

Exposure routes

Inhalation

Target Organs

Central nervous system

Assessment

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT – repeated exposure

Components

Alkanes, C7-10-iso-:

Assessment

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks

This information is not available.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –

iwis
antriebssysteme
wir bewegen die welt

Aspiration toxicity

Product

This information is not available.

Components

Alkanes, C7-10-iso-:

May be fatal if swallowed and enters airways.

Further information

Product

Remarks

Information given is based on data on the components and the toxicology of similar products.

Section 12

Ecological information

12.1 Toxicity

Product

Toxicity to fish

Remarks: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Toxicity to daphnia and other aquatic invertebrates

Remarks: No data available

Toxicity to algae

Remarks: No data available

Toxicity to microorganisms

Remarks: No data available

Components

Alkanes, C7-10-iso-:

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): 18,4 mg/l

Exposure time: 96 h

Test Type: semi-static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 2,4 mg/l

Exposure time: 48 h

Test Type: static test

Method: OECD Test Guideline 202

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –

iwis
antriebssysteme
wir bewegen die welt

Toxicity to algae

NOELR (Pseudokirchneriella subcapitata (green algae)): 10 mg/l

Exposure time: 72 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

EC50 (Pseudokirchneriella subcapitata (green algae)):

29 mg/l Exposure time: 72 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to microorganisms

EC50 (Tetrahymena pyriformis): 28,48 mg/l

End point: Growth rate Exposure time: 48 h

GLP:

Remarks: The value is calculated

Toxicity to fish (Chronic toxicity)

NOEC: 0,778 mg/l

Exposure time: 28 d

Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

NOEC: 0,17 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test Type: Reproduction Test

Method: OECD Test Guideline 211

GLP: yes

12.2 Persistence and degradability

Product

Biodegradability

Remarks: No data available

Physico-chemical removability

Remarks: No data available

Components

Alkanes, C7-10-iso-:

Biodegradability

Test Type: aerobic

Inoculum: activated sludge

Result: Not rapidly biodegradable

Biodegradation: 51,3 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –



12.3 Bioaccumulative potential

Product

Bioaccumulation

Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

Components

Alkanes, C7-10-iso-:

Partition coefficient: n-octanol/water

log Pow: 4,3 – 5,1

isobutane

Partition coefficient: n-octanol/water

log Pow: 2,88

Method: OECD Test Guideline 107

propane

Partition coefficient: n-octanol/water

log Pow: 2,36

butane

Partition coefficient: n-octanol/water

log Pow: 2,89

Method: OECD Test Guideline 107

12.4 Mobility in soil

Product

Mobility

Remarks: No data available

Distribution among environmental compartments

Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components

Alkanes, C7-10-iso-:

Assessment

Non-classified PBT substance. Non-classified vPvB substance.

12.6 Other adverse effects

Product

Additional ecological information

Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –



Section 13

Disposal considerations

13.1 Waste treatment methods

Product	Do not dispose of with domestic refuse. Dispose of as hazardous waste in compliance with local and national regulations. Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	Packaging that is not properly emptied must be disposed of as the unused product. Offer empty spray cans to an established disposal company. Pressurized container: Do not pierce or burn, even after use. The following Waste Codes are only suggestions:

Section 14

Transport information

14.1 UN number

ADR	UN 1950
IMDG	UN 1950
IATA	UN 1950

14.2 UN proper shipping name

ADR	AEROSOLS
IMDG	AEROSOLS
IATA	Aerosols, flammable

14.3 Transport hazard class(es)

ADR	2
IMDG	2.1
IATA	2.1

14.4 Packing group

ADR	
Packing group	Not assigned by regulation
Classification Code	5F
Labels	2.1
Tunnel restriction code	(D)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –

iwis
antriebssysteme
wir bewegen die welt

IMDG

Packing group	Not assigned by regulation
Labels	2.1
EmS Code	F-D, S-U

IATA (Cargo)

Packing instruction (cargo aircraft)	203
Packing instruction (LQ)	Y203
Packing group	Not assigned by regulation
Labels	Flammable Gas

IATA (Passenger)

Packing instruction (passenger aircraft)	203
Packing instruction (LQ)	Y203
Packing group	Not assigned by regulation
Labels	Flammable Gas

14.5 Environmental hazards

ADR

Environmentally hazardous	no
---------------------------	----

IMDG

Marine pollutant	no
------------------	----

IATA (Passenger)

Environmentally hazardous	no
---------------------------	----

IATA (Cargo)

Environmentally hazardous	no
---------------------------	----

14.6 Special precautions for user

No special precautions required.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks	Not applicable for product as supplied.
---------	---

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –



Section 15

Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH – Candidate List of Substances of Very High Concern for Authorisation (Article 59).	This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).
REACH – List of substances subject to authorisation (Annex XIV)	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	Not applicable
Regulation (EC) No 850/2004 on persistent organic pollutants	Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	Not applicable
REACH – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.			
		Quantity 1	Quantity 2
P3a	FLAMMABLE AEROSOLS	150 t	500 t
P2			
P5c			
34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams), (d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)	2.500 t	25.000 t

Water contaminating class (Germany)

WGK 2 significantly water endangering
Classification according to AwSV, Annex 1 (5.2)

TA Luft List (Germany)

Total dust:
others: 0,64 %
Inorganic substances in powdered form: Not applicable
Inorganic substances in vapour or gaseous form: Not applicable
Organic Substances: others: 99,31 %
Carcinogenic substances: portion Class 3: 0,05 %
Mutagenic: others: 0,05 %
Toxic to reproduction: Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –



Volatile organic compounds

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 68,12 % Remarks: VOC content excluding water

Other regulations

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

This information is not available.

Section 16

Other information

Full text of H-Statements

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Note C	Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
Note U (table 3.1)	When put on the market gases have to be classified as “Gases under pressure”, in one of the groups compressed gas, liquefied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 – DE

iwis VP6 Kombi Superplus Spray

– Revision Date: 08.01.2019 –



ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aerosol 1	H222, H229
Aquatic Chronic 3	H412

Classification procedure

Based on product data or assessment Calculation method

This safety data sheet applies only to products originally packed and labelled by iwis antriebssysteme GmbH & Co. KG. The information contained therein may not be reproduced or modified without the express written permission of iwis antriebssysteme GmbH & Co. KG. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of our safety data sheets (e.g. as a document for download from the Internet) is not permitted without the express written consent of iwis antriebssysteme GmbH & Co. KG. iwis antriebssysteme GmbH & Co. KG provides its customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. iwis antriebssysteme GmbH & Co. KG provides no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship.